



# SECTION 4 SCHEMATIC DIAGRAMS

## 4-1. POWER SUPPLY SECTION IN MAIN SCHEMATIC DIAGRAM (NV-SD450EE)



**IMPORTANT SAFETY NOTICE:**  
COMPONENTS IDENTIFIED WITH THE MARK  $\Delta$  HAVE THE SPECIAL CHARACTERISTICS FOR SAFETY.  
WHEN REPLACING ANY OF THESE COMPONENTS, USE ONLY THE SAME TYPE.


NOTE: THE MEASUREMENT MODE OF THE DC VOLTAGE ON THIS DIAGRAM IS STOP MODE.



50EE)

**CAUTION**

THE RED MARK INDICATES THE PRIMARY CIRCUIT TO DISTINGUISH THE PRIMARY CIRCUIT FROM THE SECONDARY CIRCUIT. PAY ATTENTION NOT TO RECEIVE AN ELECTRIC SHOCK DURING REPAIR OF THE PRODUCTS.




NOTE 1. WHEN MEASURE THE VOLTAGE OR WAVEFORM ON THE POWER TRANSFORMER CIRCUIT, SET THE GND TERMINAL OF MEASURING POINT AS FOLLOWS.


PRIMARY SIDE .....  
SECONDARY SIDE .....

NOTE 2. THE DC VOLTAGE INDICATED IN INPUT AC IS 240V.

5 | 6 | 7 | 8 | 9



**STINGUISH THE PRIMARY FROM  
DURING REPAIR AND SERVICE OF**



DC VOLTAGE INDICATED IN PRIMARY SIDE IS SHOWN THE VOLTAGE WHEN T AC IS 240V.

NOTE: DO NOT USE ANY PART NUMBER SHOWN ON THIS SCHEMATIC DIAGRAM FOR ORDERING. WHEN YOU ORDER A PART, PLEASE REFER TO PARTS LIST.

Схема блока питания видеомаягнитофона PANASONIC NV-450SD

